





























- [20]. Clarke A, Black N, Rowe P, Mott S, Howle K. Indications for and outcome of total abdominal hysterectomy for benign disease: a prospective cohort study. *British Journal of Obstetrics and Gynaecology* 1995; 102: 611-620.
- [21]. Clegg JP, Guest JF, Hurskainen R. Cost-utility of levonorgestrel intrauterine system compared with hysterectomy and second generation endometrial ablative techniques in managing patients with menorrhagia in the UK. *Current Medical Research and Opinion* 2007; 23: 1637-1648.
- [22]. Coulter A, Noone A, Goldacre M. General practitioners' referrals to specialist outpatient clinics. II. Locations of specialist outpatient clinics to which general practitioners refer patients. *British Medical Journal* 1989; 299: 306-308.
- [23]. Crow R, Gage H, Hampson S, Hart J, Kimber A, Storey L, Thomas H. The measurement of satisfaction with healthcare: implications for practice from a systematic review of the literature. *Health Technology Assessment* 2002; 6: 1-244.
- [24]. Danesh J, Wheeler JG, Hirschfield GM, Eda S, Eiriksdottir G, Rumley A, Lowe GD, Pepys MB, Gudnason V. C-reactive protein and other circulating markers of inflammation in the prediction of coronary heart disease. *The New England Journal of Medicine* 2004; 350: 1387-1397.
- [25]. de Souza SS, Camargos AF, de Rezende CP, Pereira FA, Araujo CA, Silva Filho AL. A randomized prospective trial comparing the levonorgestrel-releasing intrauterine system with thermal balloon ablation for the treatment of heavy menstrual bleeding. *Contraception* 2010; 81: 226-231.
- [26]. Dicker, RC, Greenspan JR, Strauss LT, Cowart MR, Scally MJ, Peterson HB, DeStefano F. Complications of abdominal and vaginal hysterectomy among women of reproductive age in the United States. The Collaborative Review of Sterilization. *American Journal of Obstetrics and Gynecology* 1982; 144: 841-848.
- [27]. Dickersin K, Munro MG, Clark M, Langenberg P, Scherher R, Frick K, Zhu Q, Hallock L, Nichols J, Yalcinkaya TM. Surgical Treatments Outcomes Project for Dysfunctional Uterine Bleeding (STOP-DUB) Research Group. Hysterectomy compared with endometrial ablation for dysfunctional uterine bleeding: a randomized controlled trial. *Obstetrics and Gynecology* 2007; 110: 1279-1289.
- [28]. Eilertsen AL, Sandvik L, Steinsvik B, Sandset PM. Differential impact of conventional-dose and lowdose postmenopausal hormone therapy, tibolone and raloxifene on C-reactive protein and other inflammatory markers. *Journal of Thrombosis and Haemostasis* 2008; 6: 928-934.
- [29]. Farquhar, CM, Sadler L, Harvey SA, Stewart AW. The association of hysterectomy and menopause: a prospective cohort study. *BJOG: An International Journal of Obstetrics and Gynaecology* 2005; 112: 956-962.
- [30]. Faundes A, Alvarez F, Diaz J. A Latin American experience with levonorgestrel IUD. *Annals of medicine* 1993; 25: 149-153.