





















- [24] UNESCO Institute of Statistics, 2021, Literacy rate, adult total (% of people ages 15 and above). The World Bank Data. <https://data.worldbank.org/indicator/SE.ADT.LITR.ZS>.
- [25] Universal Basic Education Commission, 2004. Standard Action Plan based on the UBE Act., Nigeria, 2004.
- [26] Anaduka EO, Okafor CF. The Universal Basic Education (UBE) Programme in Nigeria: Problems and Prospects. *J Res Nat Dev*. 2013;11(1):152-157.
- [27] Osemene KP, Lamikanra A. A Study of the Prevalence of Self-Medication Practice among University Students in South-western Nigeria. *Trop J Pharm Res*. 2012;11(4): 683-689.
- [28] World Health Organisation. Guidelines for the regulatory assessment of Medicinal Products for use in self-medication. WHO/EDM/QS?00.1,2000.
- [29] Flesch R. A new readability yardstick. *J Applied Psych*. 1948;32: 221–233.
- [30] Garner M, Ning Z, Francis J. A framework for the evaluation of patient information leaflets. Health Expectations, *Blackwell Publishing Ltd*; 2012.15:283–294.
- [31] Kincaid JP, Fishburne RP, Rogers, RL, Chissom BS. Derivation of new readability formulas (automated readability index, Fog count, and Flesch reading ease formula) for Navy enlisted personnel. Research Branch Report 8–75. Chief of Naval Technical Training: Naval Air Station Memphis, 1975.
- [32] Katz MG, Kripalani S, Weiss BD. Use of pictorial aids in medication instructions: a review of literature. *Am J Health Sys Pharm*. 2006;63(23):2391-2397.
- [33] Matthew E, Rajiah K, Sharma KK. Layout of Consumer Medical Information Leaflets. *J Clin Diag Res*. 2013;7(12):2800-2802.
- [34] Adibe MO, Igboeli, NU, Ubaka CM, Udeogaranya PO, Onwudiwe NP, Ita OO. Evaluation of Information Contained in Drug Advertisement and Promotion Materials in Nigeria. *Trop J Pharm Res*. 2015;14(3):539-544.
- [35] Brieger WR, Salako, L.A., Umeh, Agomo B, Afolabi M, Adeneye AK. Promoting pre-packaged drugs for prompt and appropriate treatment of febrile illnesses in rural Nigerian communities. *Int Quart Comm Educ*. 2002;21(1):19–40.
- [36] Pinero-Lopez MA, Modamio P, Lastra CF, Marino EL. Readability Analysis of the Package Leaflets for Biological Medicines Available on the Internet Between 2007 and 2013: An Analytical Longitudinal Study. *J Med Internet Res*. 2016; 18(5): e100. DOI:10.2196/jmir.5145.
- [37] Hill J, Bird H. The development and evaluation of a drug information leaflet for patients with rheumatoid arthritis. *Rheum*. (Oxford), 2003;42(1):66-70.
- [38] Zethsen KK, Askehave I. PIL of the month: A study of best practice in European Union patient information leaflets. *J Applied Ling Prof Pract*. 2010;7(1):97–120.
- [39] Fitzmaurice, D. A. and Adams, J. L. A systematic review of patient information leaflets for hypertension. *J Human Hypert*. 2000;14(4):259-62.
- [40] Maat, H. P., and Lentz, L. Improving the usability of patient information leaflets. *Patient Edu Counselling* 2010;80(1):113-9.
- [41] Twomey C. An analysis of patient information leaflets supplied with medicines sold by pharmacists in the United Kingdom Library and Information Research News; 2001. 5(80):3-12.
- [42] Janan D, Wray D. Readability: The limitations of an approach through formulae. Paper presented at the British Educational Research Association Annual Conference, University of Manchester (2012). <http://www.leeds.ac.uk/educol/documents/213296.pdf>.