































- and Environmental Medicine*, 71(1), 71–76. <https://doi.org/10.1136/oemed-2013-101452>.
- [27] Giwa H. K., Akinboye, D. O., Ugwu, E. O., Baduka A. P. (2020). Determinants of Psycho-active Substance Abuse among Commercial Motor Drivers in Kawo motor park Kaduna, Kaduna State, Nigeria. *Texila International Journal of Public Health*, 8(2), 52–62. <https://doi.org/10.21522/tijph.2013.08.02.art007>.
- [28] Adesida, S. A., Quadri, M. O., & Adedeji, A. M. (2022). Use of Psychoactive Substances among Students in a Nigerian University: An Imperative for Intervention Programmes. *Scientific African*, 1139. <https://doi.org/10.1016/j.sciaf.2022.e01139>.
- [29] Jatau, A. I., Sha’aban, A., Gulma, K. A., Shitu, Z., Khalid, G. M., Isa, A., Wada, A. S., & Mustapha, M. (2021). The Burden of Drug Abuse in Nigeria: A Scoping Review of Epidemiological Studies and Drug Laws. *Public Health Reviews*, 42. <https://doi.org/10.3389/phrs.2021.1603960>.
- [30] Owonikoko, S. B., Suleiman, J. B. A., Maibaka, W. K., & Tasiu, N. (2021). “What a man can do, a woman can do better”: women farmers, livelihood and drug abuse in Adamawa State, northeastern Nigeria. *Journal of Ethnicity in Substance Abuse*, 1–26. <https://doi.org/10.1080/15332640.2021.1871694>.
- [31] Okunna, N. (2018). Assessment of the use of different forms of tobacco products among Nigerian adults: Implications for tobacco control policy. *Tobacco Prevention & Cessation*, 4(April). <https://doi.org/10.18332/tpc/87126>.
- [32] Kpozehouen, A., Ahanhanzo, Y., Paraiso, M., Munezero, F., Saizonou, J., Makoutodé, M. & Ouedraogo, L. (2015). Factors Associated with Psychoactive Substance Use among Beninese Adolescents. *Santé Publique*, 27, 871-880. <https://doi.org/10.3917/spub.156.0871>.
- [33] Charan, J., & Biswas, T. (2013). How to calculate sample size for different study designs in medical research? *Indian journal of psychological medicine*, 35(2), 121–126. <https://doi.org/10.4103/0253-7176.116232>.
- [34] American Academy of Child and Adolescent Psychiatry (2018). Teens: Alcohol and other drugs. [https://www.aacap.org/AACAP/Families\\_and\\_Youth/Facts\\_for\\_Families/FFF-Guide/Teens-Alcohol-And-Other-Drugs-003.aspx](https://www.aacap.org/AACAP/Families_and_Youth/Facts_for_Families/FFF-Guide/Teens-Alcohol-And-Other-Drugs-003.aspx).
- [35] Abuse, S. (2011). Results from the 2010 National Survey on drug use and health: summary of national findings: ERIC Clearinghouse. Available at: <http://store.samhsa.gov/home>.
- [36] Salvatore, J. E., Gardner, C. O., & Kendler, K. S. (2019). Marriage and reductions in men’s alcohol, tobacco, and cannabis use. *Psychological Medicine*, 50(15), 2634–2640. <https://doi.org/10.1017/s0033291719002964>.
- [37] Teixidó-Compañó, E., Espelt, A., Sordo, L., Bravo, M. J., Sarasa-Renedo, A., Indave, B. I., Bosque-Prous, M., & Brugal, M. T. (2018). Differences between men and women in substance use: the role of educational level and employment status. *Gaceta Sanitaria*, 32(1), 41–47. <https://doi.org/10.1016/j.gaceta.2016.12.017>.
- [38] Makanjuola, AB, Daramola, TO, and Obembe, A.O. (2007). Psychoactive substance use among medical students in a Nigerian university. *World Psychiatr.* 6 (2), 112–114.