

cross-sectional study. *Journal of Xiangya Medicine. University of Yaoundé*
<http://dx.doi.org/10.21037/jxym.2019.05.01>.

[30] Gambhir, S. (2018). Prevalence of Hypertension among Incarcerated Males of Jhumka Regional Prison, Eastern Nepal. *Journal of Hypertension: Volume 36 - Issue - p e345* doi: 10.1097/01.hjh.0000549409.97583.00.

[31] Yamane, Taro. (1967). *Statistics: An Introductory Analysis*, 2nd Edition, New York: Harper and Row.

[32] Umbach, R., Raine, A., Leonard, N. R. (2017). Cognitive Decline as a Result of incarceration and the

effects of a CBT/MT intervention. A Cluster-Randomized Controlled trial. *Criminal Justice and Behavior*, 2018, Vol. 45, No. 1, January 2018, 31 – 55. DOI: 10.1177/0093854817736345. 2017 International Association for Correctional and Forensic Psychology.

[33] Sanne, S., Muntner, P., Kawasaki, L., Hyre, A., Desalvo, K. B. 2008. Hypertension Knowledge among Patients from an Urban Clinic. *Ethnicity & Disease*, Volume 18. *Ethn Dis.* 2008; 18(1):42-47. <https://pubmed.ncbi.nlm.nih.gov/18447098>.