



























- [23] Saving Mothers Giving Life. Making Pregnancy & Childbirth Safe in Uganda and Zambia: Annual Report 2013. 2014:1–2. Available from: [http://www.savingmothersgivinglife.org/docs/SMGL\\_Annual\\_Report\\_2013.pdf](http://www.savingmothersgivinglife.org/docs/SMGL_Annual_Report_2013.pdf). Accessed March 20, 2018.
- [24] Jacobs C, Michelo C, Chola M, et al. Evaluation of a community-based intervention to improve maternal and neonatal health service coverage in the most rural and remote districts of Zambia. *PLoS One*. 2018;13(1):15.
- [25] Saving Mothers Giving Life. *Phase 2 Launch Report*. 2014. Available from: [http://www.savingmothersgivinglife.org/docs/SMGL\\_Phase2LaunchReport.pdf](http://www.savingmothersgivinglife.org/docs/SMGL_Phase2LaunchReport.pdf). Accessed March 20, 2018.
- [26] Lohela TJ, Campbell OM, Gabrysch S. Distance to care, facility delivery and early neonatal mortality in Malawi and Zambia. *PLoS One*. 2012;7(12):e52110.
- [27] Agresti A. *Categorical Data Analysis*. 3rd ed. Hoboken, NJ: John Wiley & Sons, Ltd; 2013.
- [28] Vaismoradi M, Turunen H, Bondas T. Content analysis and thematic analysis: Implications for conducting a qualitative descriptive study. *Nurs Health Sci*. 2013;15(3):398–405.