























- literature review and regional estimates. *Bmj*. 2003;327(7423):1075.
- [4] Hardon AP, van Staa A. Injection practices on the developing world: Results and recommendations from field studies in Uganda and Indonesia. 1995.
- [5] Daly AD, Nxumalo MP, Biellik RJ. An assessment of safe injection practices in health facilities in Swaziland. *South African Medical Journal*. 2004;94(3):194–7.
- [6] Pepin J, Abou Chakra CN, Pepin E, Nault V, Valiquette L. Evolution of the global burden of viral infections from unsafe medical injections, 2000–2010. *PloS one*. 2014;9(6):e99677.
- [7] Water S, Organization WH. Safe health-care waste management: policy paper. World Health Organization; 2004.
- [8] Ibrahim S, Salem N, Soliman S. Assessment of Safe Injection Practices and Needlestick Injury Among Nursing Students At Mansoura University. *Mansoura Nursing Journal*. 2021;8(1):59–76.
- [9] Luby S. Injection safety. *Emerging Infectious Diseases*. 2001;7(3 Suppl):535.
- [10] Hauri AM, Armstrong GL, Hutin YJ. The global burden of disease attributable to contaminated injections given in health care settings. *International Journal of STD & AIDS*. 2004;15(1):7–16.
- [11] Matsubara C, Sakisaka K, Sychareun V, Phensavanh A, Ali M. Anxiety, and perceived psychological impact associated with needle stick and sharp device injury among tertiary hospital workers, Vientiane, Lao PDR. *Industrial health*. 2020;2019–0088.
- [12] Simonsen L, Kane A, Lloyd J, Zaffran M, Kane M. Unsafe injections in the developing world and transmission of bloodborne pathogens: a review. *Bulletin of the World Health Organization*. 1999;77(10):789.
- [13] Hutin Y, Hauri A, Chiarello L, Catlin M, Stilwell B, Ghebrehiwet T, et al. Best infection control practices for intradermal, subcutaneous, and intramuscular needle injections. *Bulletin of the World Health Organization*. 2003; 81:491–500.
- [14] Network SIG. Report of the SIGN2010 meeting. In: Annual meeting of the Safe Injection Global Network Dubai, United Arab Emirates. 2010. p. 9–11.
- [15] Kotwal A. Innovation, diffusion and safety of a medical technology: a review of the literature on injection practices. *Social science & medicine*. 2005;60(5):1133–47.
- [16] Kane A, Lloyd J, Zaffran M, Simonsen L, Kane M. Transmission of hepatitis B, hepatitis C and human immunodeficiency viruses through unsafe injections in the developing world: model-based regional estimates. *Bulletin of the World Health Organization*. 1999;77(10):801.
- [17] Simonsen L, Kane A, Lloyd J, Zaffran M, Kane M. Unsafe injections in the developing world and transmission of bloodborne pathogens: a review. *Bulletin of the World Health Organization*. 1999;77(10):789.
- [18] World Health Organization. Revised injection safety assessment tool: tool C - revised [Internet]. World Health Organization; 2008 [cited 2022 Nov 9]. Report No.: WHO/EHT/08.08. Available from: <https://apps.who.int/iris/handle/10665/330070>.
- [19] Sahu D, Gandhi N. Assessment of safe injection practices in a tertiary care hospital: a cross-sectional study from Chhattisgarh. *National Journal of Community Medicine*. 2015;6(04):500–3.
- [20] Statistics GB of. The Gambia 2013 Population and Housing Census Preliminary Results. Gambia Bureau of Statistics Serre Kunda, The Gambia; 2013.
- [21] Abdul-Lateef SJ, Sulaiman MH, Jasim MS. Assessment of injection safety practice among nurses at primary health care centers in Mosul. *Organization*. 2000; 2:5.
- [22] Al Awaidey S, Zayed B, Ramadan M, Hsairi M. Assessment of safe injection practices in health facilities in Oman. *Eastern Mediterranean Health Journal*. 2018;24(4):351–9.