

Table 3. Factors associated with contraceptive use among HIV positive couples

Parameter	Use (%)	Non-use (%)	Chi-Square	p-Value
Age <40 >40	227 (58.9) 80 (20.8)	53 (13.6) 26 (6.7)	1.459	0.2271
Sex Male Female	68 (17.5) 240 (62)	12 (3.2) 66 (17.2)	1.742	0.1869
Location Urban Rural	161 (41.7) 144 (37.3)	21 (5.4) 60 (15.5)	17.312	< 0.0001
Education <Tertiary >Tertiary	75 (19.5) 232 (60.1)	30 (7.8) 49 (12.6)	6.534	0.0106
Occupation Unemployed Employed	73 (18.8) 244 (63.1)	9 (2.2) 69 (17.8)	5.968	0.0146
Religion Non-Christians Christians	4 (1) 304 (78.8)	3 (0.74) 75 (19.5)	2.291	0.1301
Marital Status Not Married Married	76 (19.7) 232 (60.2)	16 (4.1) 62 (16)	0.401	0.5266
Income No income With income	67 (17.3) 247 (64)	22 (5.7) 50 (13)	3.199	0.0737
Parity <5 >5	266 (69) 43 (11)	57 (14.8) 20 (5.2)	7.337	0.0068
Age of Last Baby <5 >5	212 (55) 111 (28.8)	35 (9.1) 27 (7.1)	1.863	0.1723