









- [15]. Odume, Bethrand Brian, Onyebuchi Stephanie Ofoegbu, Elias Chike Aniwada, and Emeka Franklin Okechukwu. 2015. "The Influence of Family Characteristics on Glycaemic Control among Adult Patients with Type 2 Diabetes Mellitus Attending the General Outpatient Clinic, National Hospital, Abuja, Nigeria." *South African Family Practice* 57 (6): 347–52. <https://doi.org/10.1080/20786190.2015.1090688>.
- [16]. Pérez, A, J.J. Mediavilla, I Miñambres, and D González-Segura. 2014. "Glycemic Control in Patients with Type 2 Diabetes Mellitus in Spain." *Rev Clin Esp* 214: 429–36.
- [17]. Ufuoma, Chukwuani, YovwinD Godwin, ADigban Kester, and JChukwuebuni Ngozi. 2016. "Determinants of Glycemic Control among Persons with Type 2 Diabetes Mellitus in Niger Delta." *Sahel Medical Journal* 19 (4): 190. <https://doi.org/10.4103/1118-8561.196361>.
- [18]. Verma, Meena, Sangeeta Paneri, Preetha Badi, and P. G. Raman. 2006. "Effect of Increasing Duration of Diabetes Mellitus Type 2 on Glycated Hemoglobin and Insulin Sensitivity." *Indian Journal of Clinical Biochemistry* 21 (1): 142.
- [19]. Viana, Luciana V., Cristiane B. Leitão, Caroline K. Kramer, Alessandra TN Zucatti, Deborah L. Jezini, João Felício, Ana B. Valverde, Antonio R. Chacra, Mirela J. Azevedo, and Jorge L. Gross. 2013. "Poor Glycaemic Control in Brazilian Patients with Type 2 Diabetes Attending the Public Healthcare System: A Cross-Sectional Study." *BMJ Open* 3 (9): e003336.