

community participation and building local stakeholders trust in screening services could be an important strategy for early detection, treatment and cure of cancer in such areas.

References

- [1].Ali I, Wani WA, Saleem K. Cancer Scenario in India with Future Perspectives. *Cancer Ther.* 2011;8: 56–70.
- [2].de Souza JA, Hunt B, Asirwa FC, Adebamowo C, Lopes G. Global Health Equity: Cancer Care Outcome Disparities in High-, Middle-, and Low-Income Countries. *J Clin Oncol.* American Society of Clinical Oncology; 2016;34: 6–13. doi:10.1200/JCO.2015.62.2860.
- [3].Directorate of Census Operations[Internet]. District census handbook, Kamrup.Census of India,2011. Available from: <http://www.census2011.co.in/district.php>. [cited 2018 Aug 10].
- [4].Early detection of cancer[Internet]. Geneva:World Health Organization; 2014. Available from: <http://www.who.int/cancer/detection/en/> [cited 2018 Jul 16].
- [5].Ferlay J, Soerjomataram I, Dikshit R, Eser S, Mathers C, Rebelo M, et al. Cancer incidence and mortality worldwide: Sources, methods and major patterns in GLOBOCAN 2012. *Int J Cancer.* 2015;136: E359–E386. doi:10.1002/ijc.29210.
- [6].Gadgil A, Sauvaget C, Roy N, Muwonge R, Kantharia S, Chakrabarty A, et al. Cancer early detection program based on awareness and clinical breast examination: Interim results from an urban community in Mumbai, India. *Breast.* 2017;31: 85–89. doi:10.1016/j.breast.2016.10.025.
- [7].Health and Family welfare,Government of Assam[Internet]. Guwahati:Atal Amrit Abhiyan. Government of Assam; 2018. Available from: <https://hfw.assam.gov.in/portlet-innerpage/atal-amrit-abhiyan>. [cited 2018 Aug 17].
- [8].Indian Institute for Population Sciences[Internet]. National Family Health Survey-4. 2015. Available from: http://rchiips.org/NFHS/FCTS/AS/AS_Factsheet_Kamrup.pdf [cited 2018 Aug 12].
- [9].Kim YS, Chang JM, Yi A, Shin SU, Lee ME, Kim WH, et al. Interpretation of digital breast tomosynthesis: preliminary study on comparison with picture archiving and communication system (PACS) and dedicated workstation. *Br J Radiol.* British Institute of Radiology; 2017;90: 20170182. doi:10.1259/bjr.20170182.
- [10]. Mishra G, Dhivar H, Gupta S, Kulkarni S, Shastri S. A population-based screening program for early detection of common cancers among women in India – methodology and interim results. *Indian J Cancer.* 2015;52: 139. doi:10.4103/0019-509X.175581.
- [11]. Nandakumar A, Anantha N, Venugopal TC. Incidence, mortality and survival in cancer of the cervix in Bangalore, India. *Br J Cancer.* 1995;71: 1348–52. Available: <http://www.ncbi.nlm.nih.gov/pubmed/7779737>.
- [12]. Office of Registrar General India[Internet]. New Delhi:Report on Medical Certification of Cause of Deaths. 2014. Available from: http://www.censusindia.gov.in/2011-Documents/mccd_Report1/mccd_report_2014.pdf [cited 2018 July 15].
- [13].Sharma DC. India still struggles with rural doctor shortages. *Lancet.* 2015;386: 2381–2382. doi:10.1016/S0140-6736(15)01231-3.
- [14]. Sankaranarayanan R, Mathew B, Jacob BJ, Thomas G, Somanathan T, Pisani P, et al. Early findings from a community-based, cluster-randomized, controlled oral cancer screening trial in Kerala, India. The Trivandrum Oral Cancer Screening Study Group. *Cancer.* 2000;88: 664–73. Available: <http://www.ncbi.nlm.nih.gov/pubmed/10649262>.
- [15]. Sharma P, Rahi M, Lal P. A community-based cervical cancer screening program among women of Delhi using camp approach. *Indian J Community Med.* 2010;35: 86. doi:10.4103/0970-0218.62576.
- [16]. Thulaseedharan JV, Malila N, Swaminathan R, Esmey PO, Cherian M, Hakama M, et al. Effect of Screening on Variation in Cervical Cancer Survival by Socioeconomic Determinants--a Study from Rural South India. *Asian Pac J Cancer Prev.* 2015;16: 5237–42. Available: <http://www.ncbi.nlm.nih.gov/pubmed/26225659>.