













- [15]. Merema, M., O'Connell, E., Joyce, S., Woods, J., & Sullivan, D. (2019). Trends in body mass index and obesity prevalence in Western Australian adults, 2002 to 2015. *Health Promotion Journal of Australia*, 30(1), 60-65.
- [16]. Morales Camacho, W. J., Molina Díaz, J. M., Plata Ortiz, S., Plata Ortiz, J. E., Morales Camacho, M. A., & Calderón, B. P. (2019). Childhood obesity: Aetiology, comorbidities, and treatment. *Diabetes/Metabolism Research and Reviews*, e3203.
- [17]. Morimoto, A., Nishimura, R., Kanda, A., Sano, H., Matsudaira, T., Miyashita, Y., & Tajima, N. (2007). Waist circumference estimation from BMI in Japanese children. *Diabetes Research and Clinical Practice*, 75(1), 96-98.
- [18]. Nuttall, F. Q. (2015). Body mass index : obesity, BMI, and health: a critical review. *Nutrition Today*, 50(3), 117.
- [19]. Quinte, G. C., Barros, F., Gigante, D. P., de Oliveira, I. O., dos Santos Motta, J. V., & Horta, B. L. (2019). Overweight trajectory and cardio metabolic risk factors in young adults. *BMC Pediatrics*, 19(1), 75.
- [20]. Ridzuan, A. A., Zahar, U. A. U., & Noor, N. A. M. (2017). Association of evacuation dimensions towards risk perception of the Malaysian students who studied at Jakarta, Medan, and Aceh in Indonesia. *Malaysian Journal of Geoscience*, 1(1), 07-12.
- [21]. Samouda, H., De Beaufort, C., Stranges, S., Guinhouya, B. C., Gilson, G., Hirsch, M., & Dadoun, F. (2015). Adding anthropometric measures of regional adiposity to BMI improves prediction of cardiometabolic, inflammatory and adipokines profiles in youths: a cross-sectional study. *BMC Pediatrics*, 15(1), 168.
- [22]. Sancar, N., & Tabrizi, S. S. (2017). Body mass index estimation by using an adaptive neuro fuzzy inference system. *Procedia Computer Science*, 108, 2501-2506.
- [23]. Siddiqui, A., Azria, E., Howell, E. A., Deneux-Tharoux, C., EPIMOMS Study Group, Langer, B., & Rozenberg, P. (2019). Associations between maternal obesity and severe maternal morbidity: Findings from the French EPIMOMS population-based study. *Paediatric and Perinatal Epidemiology*, 33(1), 7-16.
- [24]. Steinskog, D. J., Tjøstheim, D. B., & Kvamstø, N. G. (2007). A cautionary note on the use of the Kolmogorov-Smirnov test for normality. *Monthly Weather Review*, 135(3), 1151-1157.
- [25]. Tabrizi, S. S., & Sancar, N. (2017). Prediction of body mass index: A comparative study of multiple linear regression, ANN and ANFIS models. *Procedia computer science*, 120, 394-401.
- [26]. Visscher, T. L., Viet, A. L., Kroesbergen, H. T., & Seidell, J. C. (2006). Underreporting of BMI in adults and its effect on obesity prevalence estimations in the period 1998 to 2001. *Obesity*, 14(11), 2054-2063.
- [27]. Wallace, C., Farmer, J., & McCosker, A. (2019). Boundary spanning practices of community connectors for engaging 'hardly reached' people in health services. *Social Science & Medicine*, 232, 366-373.
- [28]. Wilson, S. (2019). 'Hard to reach' parents but not hard to research: a critical reflection of gatekeeper positionality using a community-based methodology. *International Journal of Research & Method in Education*, 1-17.
- [29]. Yusefzadeh, H., Rashidi, A., & Rahimi, B. (2019). Economic burden of obesity: A systematic review. *Social Health and Behavior*, 2(1), 7-7.
- [30]. Zamsad, M., Banik, S., & Ghosh, L. (2019). Prevalence of overweight, obesity and abdominal obesity in Bangladeshi university students: A cross-sectional study. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 13(1), 480-483.