

- [14]. Gusdal AK, Obua C, Andualem T, Wahlstrom R, Tomson G, Peterson S, et al (2009). Voices on adherence to ART in Ethiopia and Uganda: a matter of choice or simply not an option? *AIDS Care* 2009; 21: 13817.
- [15]. Carly Hudelson & Lucie Cluver (2015). Factors associated with adherence to antiretroviral therapy among adolescents living with HIV/AIDS in low- and middle-income countries: a systematic review, *AIDS Care: Psychological and Socio-medical Aspects of AIDS/HIV*, 27:7, 805-816, DOI: 10.1080/09540121.2015.1011073
- [16]. Bharatesh D. Basti,¹ Venkatesha Mahesh,² Dattatreya D. Bant,³ and Geeta V. Bathija (2017). Factors affecting antiretroviral treatment adherence among people living with human immunodeficiency virus/acquired immunodeficiency syndrome: A prospective study. *Journal of family medicine and primary care*.
- [17]. Oku O. Afiong, Eme T. Owoaje, Oboko O. Oku and Emmanuel Monjok (2014). Prevalence and Determinants of Adherence to Highly Active Anti-Retroviral Therapy Amongst People Living with HIV/AIDS in a Rural Setting in South-South Nigeria. *African Journal of Reproductive Health* March 2014; 18(1): 134
- [18]. Elizabeth Horstmann, Jillian Brown, Fareesa Islam, Johanna Buck, and Bruce D. Agins, (2010). Retaining HIV-Infected Patients in Care: Where Are We? Where Do We Go from Here? *Clinical Infectious Diseases* 2010; 50:752–761
- [19]. Park WB, Choe PG, Kim SH, Jo JH, Bang JH, Kim HB, Kim NJ, Oh M, Choe KW: One-year adherence to clinic visits after highly active antiretroviral therapy: a predictor of clinical progress in HIV patients. *J Intern Med* 2007, 261(3):268–275.
- [20]. Smith E. O., J. D. Curb, and R. J. Hardy, "Clinic attendance in the hypertension detection and follow-up program," *Hypertension*, vol. 4, no. 5, pp. 710–715, 1982. View at Google Scholar · View at Scopus
- [21]. Nemes MI, Carvalho HB, Souza MF, (2004). Antiretroviral therapy adherence in Brazil. *AIDS*. <https://www.ncbi.nlm.nih.gov/pubmed/15322479>.
- [22]. Lucas GM, Chaisson RE, Moore RD, (1999). Highly active antiretroviral therapy in a large urban clinic: risk factors for virologic failure and adverse drug reactions. *Ann Intern Med*; 131(2):81–87.
- [23]. TenoRes Study Group (2016). Global epidemiology of drug resistance after failure of WHO recommended first-line regimens for adult HIV-1 infection: a multicentre retrospective cohort study. *Lancet Infect Dis*. 2016 May;16(5):565-575.
- [24]. Sethi A, Celentano D, Gange S, Moore R, Gallant J. Association between adherence to antiretroviral therapy and human immunodeficiency virus drug resistance. *Clin Infect Dis* **2003**; 37(8):1112–1118.
- [25]. Gupta RK, Gregson J, Parkin N, Haile-Selassie H, Tanuri A, Andrade Forero L, Kaleebu P, Watera C, Aghokeng A, Mutenda N, Dzangare J, Hone S, Hang ZZ, Garcia J, Garcia Z, Marchorro P, Beteta E, Giron A, Hamers R, Inzaule S, Frenkel LM, Chung MH, de Oliveira T, Pillay D, Naidoo K, Kharsany A, Kugathasan R, Cutino T, Hunt G, Avila Rios S, Doherty M, Jordan MR, Bertagnolio S. HIV-1 drug resistance before initiation or re-initiation of first-line antiretroviral therapy in low-income and middle-income countries: a systematic review and meta-regression analysis. *Lancet Infect Dis*. 2018 Mar;18(3):346-355.
- [26]. Moore CG, Wilson-Witherspoon P, Probst JC, (2001). Time and money: effects of no-shows at a family practice residency clinic. *Fam Med* 2001; 33(7):522–527.
- [27]. Shumba c., L. Atuhaire, R. Imakit, R. Atukunda, and P. Memiah. Missed Doses and Missed Appointments: Adherence to ART among Adult Patients in Uganda. Hindawi Publishing Corporation, ISRN AIDS, Volume 2013, Article ID 270914, 7 pages, <http://dx.doi.org/10.1155/2013/270914>
- [28]. Bigna Jean Joel R, Jean Jacques N Noubiap, Claudia S Plottel, Charles Kouanfack1, and Sinata Koulla-Shiro, (2014). Factors associated with non-adherence to scheduled medical follow-up appointments among Cameroonian children requiring HIV care: a case-control analysis of the usual-care group in the MORE CARE trial.
- [29]. Setor Kunutsor,¹ John Walley,¹ Elly Katabira,² Simon Muchuro,² Hudson Balidawa,³ Elizabeth Namagala,³ and Eric Ikoona³, (2010). Clinic Attendance for Medication Refills and Medication Adherence amongst an Antiretroviral Treatment Cohort in Uganda: A Prospective Study. Hindawi Publishing Corporation AIDS Research and Treatment Volume 2010, Article ID 872396, 8 pages doi:10.1155/2010/872396.