





















- [29]. Schafer T., Nienhaus A., Vieluf D., Berger J., Ring J. 2001. Epidemiology of acne in the general population: The risk of smoking *Br J Dermatol.* (on line), 145: 100-104.
- [30]. Stolla, S., Shalita, A.R., Webster, G.F., Kaplan, R., Danesh, S. and Penstein, A., 2001. The effect of the menstrual cycle on acne. *Journal of the American Academy of Dermatology*, 45(6), pp.957-960.
- [31]. Simpson, N.M., Cunliffe W.I. 2004. Disorders of the sebaceous gland. Bums T, Breathnach S, Cox N, Griffiths C (editors). *Rook's Textbook of Dermatology*. 7th edition. Blackwell Science Ltd, p.43.1 - 43.74.
- [32]. Smith, R.N., Mann N.J., Braue A., Makelainen H., Varigos G. 2007. The effect of a high protein, low glycaemic load diet versus a conventional high glycaemic load diet on biochemical parameters associated with acne Vulgaris: A randomized investigator-masked, controlled trial. *J. Am Acad Dermatol*, 57: 247-256.
- [33]. Talley NJ, Verlinden M, Jones M: Quality of life in functional dyspepsia: responsiveness of the Nepean Dyspepsia Index and development of a new 10-item short form. *Aliment Pharmacol Ther.* 2001, 15 (2): 207-216. 10.1046/j.1365-2036.2001.00900.x.
- [34]. Tasoula, E., Gregoriou, S., Chalikias, J., Lazarou, D., Danopoulou, I., Katsambas, A. and Rigopoulos, D., 2012. The impact of acne vulgaris on quality of life and psychic health in young adolescents in Greece: results of a population survey. *Anais brasileiros de dermatologia*, 87(6), pp.862-869.
- [35]. Yahya H. 2009. Acne Vulgaris in Nigerian adolescents – prevalence, Severity, beliefs, perceptions and practices. *Int J. Dermatol*, 48: 498-505.