













- Date of access: 14/3/2020. <https://naca.gov.ng/wp-content/uploads/2019/03/NAIIS-PA-NATIONAL-FACTSHEET-FINAL.pdf>.
- [3]. Palmisano, L., and Vella, S., 2011, A brief history of antiretroviral therapy of HIV infection: success and challenges. *Annali dell'Istituto Superiore di Sanità*, 47, 44-48.
- [4]. Montoya, J. L., Wing, D., Knight, A., and Moore, D. J., 2015, Development of a Health intervention (iSTEP) to promote physical activity among people living with HIV. *Journal of International Association of Providers of Aids care*, 14(6), 471–5.
- [5]. Kobin, A. B., and Sheth, N. U., 2011, Levels of adherence required for virologic suppression among newer antiretroviral medications. *Annals of Pharmacotherapy*, 45, 372–379.
- [6]. Bezabhe, W. M., Chalmers, L., Bereznicki, L. R., Peterson, G. M., Bimirew, M. A., and Kassie, D. M., 2014, Barriers and Facilitators of Adherence to Antiretroviral Drug Therapy and Retention in Care among Adult HIV-Positive Patients: A Qualitative Study from Ethiopia. *Public Library of Sciences One*, 9(5), e97353.
- [7]. Iacob, S. A., Iacob, D. G., and Jugulete, G., 2017, Improving the Adherence to Antiretroviral Therapy, a Difficult but Essential Task for a Successful HIV Treatment-Clinical Points of View and Practical Considerations. *Frontiers in Pharmacology*, 8, 831.
- [8]. Global Information and education on HIV and AIDS. *Global HIV and AIDS Statistics*, 2018. Date of access: 17/3/2020. <https://www.avert.org/global-hiv-and-aids-statistics>.
- [9]. Kaufman, M., Cornish, F., Zimmerman, R., and Johnson, B., 2014, Health Behavior Change Models for HIV Prevention and AIDS Care: Practical Recommendations for a Multi-Level Approach. *Journal of Acquired Immune Deficiency Syndrome*, 66, S250-S258.
- [10]. Lambert, V., and Lambert, C., 2013, Qualitative descriptive research: an acceptable design. *Pacific Rim International Journal of Nursing Research*, 16, 255–256.
- [11]. Curioso, W. H., Kepka, D., Cabello, R., Segura, P., and Kurth, A., 2010, Understanding the facilitators and barriers of antiretroviral adherence in Peru: A qualitative study. *BMC Public Health*, 10(1), 13.
- [12]. Chen, W., Shiu, C., Simoni, J., Fredriksen-Goldsen, K., Zhang, F., Starks, H., and Zhao, H., 2009, Attitudes toward Antiretroviral Therapy and Complementary and Alternative Medicine in Chinese HIV-Infected Patients. *Journal of the Association of Nurses in AIDS Care*, 20(3), 203–217.
- [13]. Hornschuh, S., Dietrich, J., Tshabalala, C., and Laher, F., 2017, Antiretroviral Treatment Adherence: Knowledge and Experiences among Adolescents and Young Adults in Soweto, South Africa. *AIDS Research and Treatment*, 8.
- [14]. Azia, I. N., Mukumbang, F. C., Van Wyk, B., 2016, Barriers to adherence to antiretroviral treatment in a regional hospital in Vredenburg, Western Cape, South Africa. *Southern African Journal of HIV Medicine*, 17(1), a476.
- [15]. Ankrah, N. A., Koster, E. S., Mantel-Teeuwisse, A. K., Arhinful, D. K., Agyepong, I. A., and Lartey, M., 2016, Facilitators and barriers to antiretroviral therapy adherence among adolescents in Ghana. *Patient Preference and Adherence*, 10, 329-337.
- [16]. Kasumu, L. O., and Mobolanle, Balogun, 2014, Knowledge and attitude towards antiretroviral therapy and adherence pattern of HIV patients in southwest Nigeria. *International Journal of Infectious Control*, 10, 1-8.
- [17]. Adeniyi, O. V., Ajayi, A. I., Ter Goon, D., Owolabi, E. O., Eboh, A., and Lambert, J., 2018, Factors affecting adherence to antiretroviral therapy among pregnant women in the Eastern Cape, South Africa. *BMC Infectious Disease*, 18, 175.