

prevent intrapartum HIV infection,” *The New England Journal of Medicine*, 366 (25), 2368–2379.

[23]. Perez, F., Orne-Gliemann, J., Mukotakwa, T., Miller, A., Glenshaw, M., Mahomva, A., Perez, T., Peña, R.R.N., Tavaréz-Rojas, M., Peña, C., Quiñonez, S., Buttler, M., Ammann, A., Hernandez, W., Goyanes, M., Miguez, M.J., & Shor-Posner, G. (2014). Preventing Mother –to-Child HIV Transmission in a Developing Country: The Dominican Republic Experience. *JAIDS*, 34 (5), 506–511.

[24]. Polit, D.F., & Beck. C. T. (2017). *Nursing Research: Generation and Assessing Evidence for Nursing practice* (10th ed) Wolters Kluwer, Philadelphia programmes with other health services for preventing HIV infection and improving HIV outcomes in developing countries. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21678382>.

[25]. Radin, A. K., Abutu, A. A., Okwero, M. A., Adler, M. R., Anyaike, C., & Asiimwe, H. T., (2017). Confronting challenges in monitoring and evaluation: Innovation in the context of the global plan towards the elimination of new HIV infections among children by 2015 and keeping their mothers alive. *Journal of Acquired Immune Deficiency Syndromes*, 75 (1), 66–75.

[26]. Redmond, A.M., & McNamara, J.F., (2015). The road to eliminate mother –to- child HIV transmission. *Journal pediatr (Rio J)* 91 (6), 509-511.

[27]. UNAIDS, (2016). United States Presidents Emergency Plan for AIDS Relief (PEPFAR), United Nations Children's Fund (UNICEF), On the Fast-Track to an AIDS-Free Generation: The Incredible Journey of the Global Plan Towards the Elimination of New HIV Infections Among Children by 2015 and Keeping Their Mothers Alive. Geneva, Switzerland.

[28]. UNAIDS, (2015). *Global Plan Progress Report: Towards the Elimination of New HIV Infections Among Children and Keeping Their Mothers Alive*. Geneva, Switzerland.

[29]. Warren, Charlotte E., Abuya, Timothy, Kanya, Lucy, Obare, Francis, Njuki, Rebecca, Temmerman, Marleen and Bellows, Ben (2015) A cross sectional

comparison of postnatal care quality in facilities participating in a maternal health voucher program versus non-voucher facilities in Kenya. *BMC Pregnancy and Childbirth*, 15 (1). 1471-2393.

[30]. Wiegert, K., Dinh, T.H., Mushavi, A, (2014). Integration of prevention of mother-to-child transmission of HIV (PMTCT) postpartum services with other HIV care and treatment services within the maternal and child health setting in Zimbabwe, Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed>

[31]. World Health Organization, (2019). Global Health Observatory (GHO) data, Retrieved from https://www.who.int/gho/hiv/epidemic_response/PM TCT_text/en/

[32]. World Health Organization, (2015). Guideline on when to start antiretroviral therapy and on pre-exposure prophylaxis for HIV'. Retrieved from <https://apps.who.int/irrs/bitstream>

[33]. World Health Organization (2016) United Nations Children's Fund (UNICEF), Elizabeth Glaser Pediatric AIDS Foundation. *The Double Dividend: A Synthesis of Evidence for Action to Improve Survival of HIV “Exposed” Children in the Era of EMTCT and Renewed Child Survival Campaigns*. New York. Retrieved from <http://www.childrenandaids.org/css/Synthesis>

[34]. World Health Organization. (2016) *Consolidated Guidelines on the use of Antiretroviral Drugs for Treating and Preventing HIV Infection: Recommendations for a Public Health Approach*. Geneva: World Health Organization. Retrieved from <http://apps.who.int/iris/bitstream>.

[35]. World Health Organization, (2016). *Mother-to-child transmission of HIV; 2016. Technical Consultation on the Integration of HIV Interventions into Maternal, New-born, and Child Health Services. Report of a WHO Meeting*, Geneva, Switzerland, Retrieved from <http://apps.who.int/iris/bitstream>.

[36]. World Health Organization, (2010). *Antiretroviral drugs for treating pregnant women and preventing HIV infection in infants*. Retrieved from <http://apps.who.int/iris/bitstream>.