

References

- [1]. Van Lier EA et al (2012). [Immunization coverage National Immunization Programme in the Netherlands: Year of report 2012] (Report No. 201001001) 2012.
- [2]. Harmsen IA et al (2012). Factors that influence vaccination decision-making by parents who visit an anthroposophical child welfare center: A Focus Group Study. *Adv Prev Med.* 2012; 2012:1-7.
- [3]. CDC (2010). Updated recommendations for use of tetanus toxoid, reduced diphtheria toxoid and acellular pertussis (Tdap) vaccine from the Advisory Committee on Immunization Practices, *MMWR*2011;60;13-5.
- [4]. American Academy of Pediatrics, (2000). Report on the Committee of Infectious Diseases, ed 25. Elk Grove Village, IL.
- [5]. CDC Pink Book. (2013) "Tetanus"(PDF). Retrieved 19 January 2014.
- [6]. UNICEF. (2000) "Maternal and Neonatal Tetanus Elimination by 2005" November 2000. Retrieved 2007-01-26.
- [7]. UNICEF (2010) "Maternal and Neonatal Tetanus Elimination Initiative"(PDF). Pampers campaign: 2.
- [8]. UNICEF (2010) "Elimination of Maternal and Neonatal Tetanus". UNICEF. Retrieved 17 February 2014.
- [9]. UNICEF (2011) "Uganda announces elimination of Maternal and Neonatal Tetanus". Unicef Media Centre. Retrieved 19 January 2014.
- [10]. AME info.com. (2011). "Pampers and UNICEF aim to eliminate maternal and neonatal tetanus in Yemen". Retrieved 19 January 2014.
- [11]. UNICEF (2000) "Maternal and Neonatal Tetanus". UNICEF United States Fund. Retrieved 17 February 2014.
- [12]. *MMWR* (2014) - Human Papillomavirus Vaccination Coverage Among Adolescents, 2007–2013, and Post licensure Vaccine Safety Monitoring, 2006–2014 — United States.
- [13]. Sarah Boseley (2015) Health editor, Friday 31 July 2015 16.44 BST Last modified on Saturday 1 August 2015 00.02 BST.
- [14]. Van Lier EA et al. (2012) [Immunization coverage National Immunization Programme in the Netherlands: Year of report 2012] (Report No. 201001001). 2012. <http://www.rivm.nl/bibliotheek/rapporten/201001001.html> website.