









families they cannot take care of. This explanation fits well into the whole concept of family planning, where a couple gives birth when they are ready. Despite societal and

religious disapproval, the young people said they will still use EC and recommend it to their colleagues.

## References

- [1] Vázquez-Nava, F. et al. (2014) ‘Unplanned pregnancy in adolescents: Association with family structure, employed mother, and female friends with health-risk habits and behaviors’, *Journal of Urban Health*, 91(1), pp. 176–185. doi: 10.1007/s11524-013-9819.
- [2] Kassa, G.M., Arowojolu, A.O., Odukogbe, A.A. et al. Prevalence and determinants of adolescent pregnancy in Africa: a systematic review and Meta-analysis. *Reprod Health* **15**, 195 (2018). <https://doi.org/10.1186/s12978-018-0640-2>.
- [3] Awusabo-Asare K, Biddlecom A, Kumi-Kyereme A, Patterson K. (2006). Adolescent Sexual and Reproductive Health in Ghana: Results from the 2004 National Survey of Adolescents. Occasional Report No 22. New York, NY: Guttmacher Institute.
- [4] Ethiopian Society of Obstetricians and Gynecologists (ESOG), MoHF, and ECafrique, “A training curriculum for mid-level health workers in Ethiopia. Addis Ababa, Ethiopia” vol. 1, no.2, 2005.
- [5] Habitu YA, Yeshita HY, Dadi AF and Galcha D. Prevalence of and factors associated with Emergency contraceptive use among female undergraduates in Arba Minch University, Southern Ethiopia, 2015: A Cross-Sectional Study. *International Journal of Population Research*, volume 2018, Article ID 2924308, 8 pages. <https://doi.org/10.1155/2018/2924308>.
- [6] GHS, 2016: Family Health Division Annual Report, Ghana Health Service. [www.ghanahealthservice.org](http://www.ghanahealthservice.org).
- [7] Subedi, S. (2012). Knowledge, attitude and practice of emergency contraceptive among the youth of Parbat District. *Journal of Health and Allied Sciences*, 2(1)50–53.
- [8] Hoque. E.M. & Ghuman, S. (2012). Knowledge, practices, and attitudes of emergency contraception among female university students in KwaZulu-Natal, South Africa. *PLoS ONE*, vol. 7(9).
- [9] Tilahun. D. F., Assefa. T., & Belachew. T., (2010). Predictors of emergency contraceptive use among regular female students at Adam3a University, *Central Ethiopia Pan Africa Medical Journal* – ISSN: 1937- 8688.
- [10] Amalba, A., Mogre, V., Appiah, M.N.A., and Mumuni, W.A., (2014) “Awareness, use and associated factors of emergency contraceptive pills among women of reproductive age (15-49 years) in Tamale, Ghana,” *BMC Women’s Health*, vol.14(114).
- [11] Ezebialu I., & Eke A., (2013). “Knowledge and practice of emergency contraception among female undergraduates in South Eastern Nigeria,” *Annals of Medical and Health Sciences Research*, vol.3, no.4, pp.541–545,2013.
- [12] Ejembi, C., L, Dahiru., T., ALIYU., A. A (2015) Contextual Factors Influencing Modern Contraceptive Use in Nigeria. ICF International, Rockville, Maryland, USA.
- [13] Colleran, H., and R. Mace, (2015). “Social network and community-level influences on Contraceptive use: Evidence from rural Poland “Proceedings from Royal Society of London.
- [14] Okezie, C. A., Ogbé, A. O. & Okezie, C. R. (2010), Socio-economic Determinants of Contraceptive Use among Rural Women in Ikwuano Local Government Area of Abia State, Nigeria, *International NGO Journal*, Vol. 5(4), 74-77.
- [15] Alkema, L., V. Kantorova, C. Menazzi, and A. Biddlecom. 2013. “National, regional and global rates and trends in contraceptive prevalence and unmet need for family planning between 1990 and 2015: A systematic and comprehensive analysis.” *The Lancet* 381:1642-1652.
- [16] Coughlin J (2016): Teenage pregnancy in Ghana: Assessing situation and moving forward. [www.graphic.com.gh/news/general-news/teenage/pregnancy-in-ghana-assessing-situation-and-moving-forward.html](http://www.graphic.com.gh/news/general-news/teenage/pregnancy-in-ghana-assessing-situation-and-moving-forward.html).
- [17] GoG (2014): Child Protection baseline research, Northern regional profile, GOG, Department of children (Ministry of Gender and Social Protection, 2014) [www.unicef.org](http://www.unicef.org).
- [18] Mohammed, F., Musa, A. and Amano, A. (2016) ‘Prevalence and determinants of unintended pregnancy among pregnant woman attending ANC at Gelemso General Hospital, Oromiya Region, East Ethiopia: *BMC Women’s Health*. 16(1), pp. 10–16.