























- Construction Workers in China. *Int J Biomed Sci.* 2008; 4(3): p. 192–195.
- [34] Ugarte W, Högberg U, Valladares E, Essén B. Assessing knowledge, attitudes, and behaviors related to HIV and AIDS in Nicaragua: A community-level perspective. *Sex Reprod Healthc.* 2013; 4(1): p. 37-44. doi: 10.1016/j.srhc.2012.11.001.
- [35] Vaidya A, Aryal UR, Krettek A. Cardiovascular health knowledge, attitude and practice/behaviour in an urbanising community of Nepal: a population-based cross-sectional study from Jhaukhel-Duwakot Health Demographic Surveillance Site. *BMJ Open.* 2013; doi: 10.1136/bmjopen-2013-002976: p. 3(10):e002976.
- [36] Beyrer C, Baral SD, Griensven F, Goodreau SM, Chariyalertsak S, Wirtz AL, et al. Global Epidemiology of HIV Infection in Men Who Have Sex with Men. *The Lancet.* 2012; 380(9839): p. 367-377 doi: 10.1016/S0140-6736(12)60821-6.
- [37] Anoje C, Agu KA, Oladele EA, Badru T, Adedokun O, Oqua D, et al. Adherence to On-Time ART Drug Pick-Up and Its Association with CD4 Changes and Clinical Outcomes Amongst HIV Infected Adults on First-Line Antiretroviral Therapy in Nigerian Hospitals. *AIDS Behav.* 2017; 21(2): p. 386-392. doi: 10.1007/s10461-016-1473-z.
- [38] Saddki N, Sulaiman Z, Abdullah S, Zakaria N, Mohamad N, Ab Razak A, et al. HIV-related knowledge among people living with HIV/AIDS in Kelantan, Malaysia. *Journal of HIV/AIDS & Social Services.* 2016; 15(2): p. 216-233 DOI: 10.1080/15381501.2013.816648.
- [39] Ramchandani SR, MSH, Saple DG, Vaidya SB, Pandey VP, Vadrevu R, Gupta A. Knowledge, Attitudes, And Practices of Antiretroviral Therapy among HIV-Infected Adults Attending Private And Public Clinics in India. *AIDS Patient Care STDS.* 2007; 21(2): p. 129-42 doi:10.1089/apc.2006.0045.
- [40] Guenter D, Gillett J, Cain R, Pawluch D, Travers R. What Do People Living With HIV/AIDS Expect From Their Physicians? Professional Expertise and the Doctor- Patient Relationship. *Journal of the International Association of Physicians in AIDS Care.* 2010; 9(6): p. 341-345. doi: 10.1177/1545109710370486.
- [41] Shippy R, Karpiak S. The aging HIV/AIDS population: Fragile social networks. *Aging & Mental Health.* 2005; 9(3): p. 246-254. DOI: 10.1080/13607860412331336850.
- [42] Kingori C, Haile Z, Ngatia P. Depression symptoms, social support and overall health among HIV-positive individuals in Kenya. *International Journal of STD & AIDS.* 2015; 26(3): p. 65-72. doi: 10.1177/0956462414531933. Epub 2014 Apr 22.
- [43] Ehrenstein V, Horton N, Samet J. Inconsistent condom use among HIVinfected patients with alcohol problems. *Drug and Alcohol Dependence.* 2004; 73(2): p. 159-166. DOI: 10.1016/j.drugalcdep.2003.10.011.
- [44] Brown J, DiClemente R, Sales J, Rose E, Gause N, Safonova P, et al. Alcohol Use, Partner Characteristics, and Condom Use Among HIV-Infected Russian Women: An Event-Level Study. *Journal of Studies on Alcohol and Drugs.* 2016; 77(6): p. 968-973. DOI: 10.15288/jsad.2016.77.968.
- [45] Langebeek N, Gisolf E, Reiss P, Vervoort S, Hafsteinsdóttir T, Richter C, et al. Predictors and correlates of adherence to combination antiretroviral therapy (ART) for chronic HIV infection: a meta-analysis. *BMC Med.* 2014; 12(142): p. doi: 10.1186/PREACCEPT-1453408941291432.
- [46] Unge C, Johansson A, Zachariah R, Some D, Van Engelgem I, Ekstrom A. Reasons for unsatisfactory acceptance of antiretroviral treatment in the urban Kibera slum, Kenya. *AIDS Care.* 2008; 20(2): p. 146–9. doi: 10.1080/09540120701513677.
- [47] Wasti S, van Teijlingen E, Simkhada P, Randall J, Baxter S, Kirkpatrick P, et al. Factors influencing adherence to antiretroviral treatment in Asian developing countries: a systematic review. *Trop Med Int Health.* 2012; 17(1): p. 71–81. doi: 10.1111/j.1365-3156.2011.02888.x.